



STURMINSTER NEWTON TOWN COUNCIL

Council Offices, Old Market Hill
Sturminster Newton, Dorset DT10 1FH
Tel: 01258 475136
Email: admin@sturminsternewton-tc.gov.uk

To: All Town Councillors

Dear Member,

You are hereby summoned to attend a meeting of the **Planning & Environment Committee** which will be held on **Thursday 19th March 2020** at Council Offices, Old Market Hill, Sturminster Newton at 7.15pm to transact the business set out in the Agenda below.

EML Lindsay

Emma Lindsay - Town Clerk

13th March 2020

Members of the public and press are welcome to attend in accordance with the Public Bodies (Admission to meetings) Act 1960

No.	Agenda	Time (est.)
1	To receive comments and questions from members of the public	15 mins
2	To receive and if agreed approve apologies for absence	1 min
3	To receive declarations of interests and approve written applications for dispensations	1 min
4	To approve the minutes of the previous meeting held on 20.02.2020	2 mins
5	To decide what comment to make on each planning application listed below	5 mins
6	To receive a report from the Town Clerk on the outcomes of planning applications	5 mins
7	To receive notice of any planning appeals and to approve any further response	2 mins
8	To consider a request to support the installation of a pedestrian crossing on Bath Road	10 mins
9	To agree a response to the Dorset Council Local Plan Consultation	30 mins
10	To consider a request to contribute £150 towards the production of Sturminster Newton walkabout Leaflets	5 mins
11	To receive an update from the Rights of Way Group	5 mins
12	To decide what comment to make on any tree matters	2 mins
13	To receive correspondence and discuss any issues raised	2 mins
14	To receive information from members and discuss proposals for future business	5 mins

Planning Applications to be considered;

Reference No.
2020/03/01 - Mr Wilkins

Proposal: Change of use of offices (B1A) to Restaurant (A3) and erect rear extension
Amended plan received.

Location: Old Bank House, Market Cross, Sturminster Newton DT10 1AN